

BOOTH GUIDE



Please be advised that this booth is a rental.


The payment made for the exhibition is for the rental cost, not for purchase. Therefore, when attaching PR materials and Banners at the frame and wall, fixing or drilling holes with nails or pieces, and using tacky glue, tape, and sticker-type advertisements are prohibited.

(** Attaching prohibited materials or damaging the booth may result in financial penalties.)

Tacky glue/Tape/Sticker-type ad



Drilling holes with nails or pieces





How should you attach or hang PR materials and Banners?

When attaching and hanging PR materials and Banners to the walls, Please refer to the provided wall size to determine the appropriate size for printing.

The following methods are recommended: (These methods are recommended as they do not cause damage to the booth.)

*Other methods that do not damage the walls or frame of the booth may also be acceptable.

Please adhere to these guidelines to ensure the booth remains in good condition.



EYELET&WASHERS (GROMMET)

- Secure on the booth poles by tying strings.
- Secure to the top of the booth structure using S-hooks or wire.



STRING AND LOOP

 Secure on the booth poles by tying strings.




SCROLL BANNER STYLE


 Secure to the top of the booth structure using S-hooks or wire.

Thank you for your cooperation


Shell-standard (1 Booth type 3X3)





% If there is a side wall depending on the booth location



Shell-standard (2 Booth type 6X3)








Shell-standard (4 Booth type 6X6)



* It is a booth with four sides open.

Premium Booth A (2 Booth type 6X3)



% If there is a side wall depending on the booth location



Premium Booth B (4 Booth type 6X6)

